

# *The LowRider*



**aztec** 

**Family-Owned  
American Made**

# The LowRider – 27" High Speed Propane Burnisher



070-27-LRD, 070-27-LR



## Features:

- Ultra Low Profile: 3 ¾" (10 cm) for burnishing hard to reach areas
- Rugged, patented solid steel body
- 18HP 603cc Kawasaki engine with low oil shut down and safety regulator fuel system
- Premium catalytic muffler for ultra low CARB and EPA emissions
- 12 volt battery key start
- Adjustable comfort handle with click-n-lock throttle cable
- Advanced polymer composite pad driver
- Adjustable back wheels for controlled pad pressure
- Patented airtight floating dust skirt †
- Green cleaning certifications: EPA, CARB, LEED, CE, GS-42


† Features available on dust control model 070-27-LRD

## LowRider Specifications

<b>Pad Size</b>	27" (68 cm)
<b>Pad Speed</b>	1700 rpm
<b>Fuel System</b>	Regulator & Solenoid
<b>Oil Safety System</b>	Low Oil Shut Down
<b>Sound Level</b>	80 db
<b>Shipping Weight</b>	Approx. 325 lbs (148 kg)
<b>Height</b>	36" (92 cm)
<b>Length</b>	50" (127 cm)
<b>Width</b>	29" (74 cm)
<b>Machine Warranty</b>	1 year
<b>Engine Warranty</b>	2 years/500 hours
<b>Green Certifications</b>	EPA, CARB, CE, LEED, GS-42 Available with Blue Sky Certified Engine

\* Shipping weight may change slightly due to varying skid weight.

## Productivity:



\* Source: The Official ISSA Cleaning Times October 2009

## Safety Specifications

- Meets US Green Building Council LEED IEQ Credit 3.4 Requirements
- CE, CARB, EPA & GS-42 Compliant
- Low Oil Shutdown
- Safety Regulator Fuel System
- Hand Release Pad Lock

## Available Options

- Auto Emissions Shut Down
- Blue Sky Certified Engine
- Centrifugal Clutch
- Kill Switch Lanyard



**800-331-1423** [www.aztecproducts.com](http://www.aztecproducts.com)

# The LowRider – 24" High Speed Propane Burnisher




070-24-LRD, 070-24-LR



## Features:

- Ultra Low Profile: 3 ¾"(10 cm) for burnishing hard to reach areas
  - Rugged, patented solid steel body
  - 18HP 603cc Kawasaki engine with low oil shut down and safety regulator fuel system
  - Premium catalytic muffler for ultra low CARB and EPA emissions
  - 12 volt battery key start
  - Adjustable comfort handle with click-n-lock throttle cable
  - Advanced polymer composite pad driver
  - Adjustable back wheels for controlled pad pressure
  - Patented airtight floating dust skirt †
  - Green cleaning certifications: EPA, CARB, LEED, CE, GS-42
- † Features available on dust control model 070-24-LRD

## Productivity:



\* Source: The Official ISSA Cleaning Times October 2009

<b>LowRider Specifications</b>	
<b>Pad Size</b>	24" (61 cm)
<b>Pad Speed</b>	1850 rpm
<b>Fuel System</b>	Regulator & Solenoid
<b>Oil Safety System</b>	Low Oil Shut Down
<b>Sound Level</b>	80 db
<b>Shipping Weight</b>	Approx. 310 lbs (141 kg)
<b>Height</b>	36" (92 cm)
<b>Length</b>	47" (120 cm)
<b>Width</b>	26" (66 cm)
<b>Machine Warranty</b>	1 year
<b>Engine Warranty</b>	2 years/500 hours
<b>Green Certifications</b>	EPA, CARB, CE, LEED, GS-42 Available with Blue Sky Certified Engine

\* Shipping weight may change slightly due to varying skid weight.

## Safety Specifications

- Meets US Green Building Council LEED IEQ Credit 3.4 Requirements
- CE, CARB, EPA & GS-42 Compliant
- Low Oil Shutdown
- Safety Regulator Fuel System
- Hand Release Pad Lock

## Available Options

- Auto Emissions Shut Down
- Blue Sky Certified Engine
- Centrifugal Clutch
- Kill Switch Lanyard



**800-331-1423** [www.aztecproducts.com](http://www.aztecproducts.com)

# The LowRider – 21" High Speed Propane Burnisher



070-21-LRD, 070-21-LR




## Features:

- Ultra Low Profile: 3 ¾"(10 cm) for burnishing hard to reach areas
- Rugged, patented solid steel body
- 18HP 603cc Kawasaki engine with low oil shut down and safety regulator fuel system
- Premium catalytic muffler for ultra low CARB and EPA emissions
- 12 volt battery key start
- Adjustable comfort handle with click-n-lock throttle cable
- Advanced polymer composite pad driver
- Adjustable back wheels for controlled pad pressure
- Patented airtight floating dust skirt †
- Green cleaning certifications: EPA, CARB, LEED, CE, GS-42

† Features available on dust control model 070-21-LRD

## Productivity:



\* Source: The Official ISSA Cleaning Times October 2009

## LowRider Specifications

<b>Pad Size</b>	21" (54 cm)
<b>Pad Speed</b>	2092 rpm
<b>Fuel System</b>	Regulator & Solenoid
<b>Oil Safety System</b>	Low Oil Shut Down
<b>Sound Level</b>	80 db
<b>Shipping Weight</b>	Approx. 310 lbs (141 kg)
<b>Height</b>	36" (92 cm)
<b>Length</b>	44" (112 cm)
<b>Width</b>	23.5" (60 cm)
<b>Machine Warranty</b>	1 year
<b>Engine Warranty</b>	2 years/500 hours
<b>Green Certifications</b>	EPA, CARB, CE, LEED, GS-42 Available with Blue Sky Certified Engine

\* Shipping weight may change slightly due to varying skid weight.

## Safety Specifications

- Meets US Green Building Council LEED IEQ Credit 3.4 Requirements
- CE, CARB, EPA & GS-42 Compliant
- Low Oil Shutdown
- Safety Regulator Fuel System
- Hand Release Pad Lock

## Available Options

- Auto Emissions Shut Down
- Blue Sky Certified Engine
- Centrifugal Clutch
- Kill Switch Lanyard



**800-331-1423** [www.aztecproducts.com](http://www.aztecproducts.com)